

## The perfect choice for any

# BUILDING

The space saving footprint and 360 degree panoramic glazing of the lift shaft make Vestner lifts fit any building. We keep technology simple so that the lift only requires limited maintenance.





## improved comfort LOME

## Platform lifts



#### A4000

Small size platform lift – low back

Platform sizes (w×d)  800 × 830
1000 × 930 300 kg 1100 × 930 300 kg



#### A5000

Platform lift – low back

Platform sizes (w×d)	Rated load
800 × 1217	400-500 kg
900 × 1467	400-500 kg
1000 × 1267	400-500 kg
1100 × 1400	400-500 kg
1000 × 1467	400-500 kg
1100 × 1467	400-500 kg
1100 × 1597	400-500 kg
1000 × 1967	400-500 kg






#### A5000H

Platform lift with high back

Platform sizes (w×d)	Rated load
900 × 1467	400-500 kg
1000 × 1467	400-500 kg
1100 × 1467	400-500 kg





## CABIN LIFTS

### Cabin models







	1100×1400×2200	400 kg	
	Cabin size (wxd) mm	Rated load	
	Cabin lift without prefabr		
A6000			






A6000S Cabin lift – including shaft	
Rated load	
400 kg	



Vestner cabin lifts combine the advantages of platform lift technology with the comfort of a fully enclosed cabin. Lift operation is automatic and virtually soundless. The LED lit ceiling, control panel and inset mirrors exude timeless elegance.

If you buy a cabin lift from Vestner, you get a high-quality product with the same sense of luxury and comfort as a conventional lift, but at a fraction of the cost. Vestner provide smart, prefabricated cabin lifts that are fast and easy to install without major construction work. The perfect choice for any building.





RAL 9006 SILVEE

**RAL 9016 TRAFFIC WHITE** 

RAL 7021 BLACK/GREY

RAL 3013 TOMATO RED

### Mix and match with colors

Vestner lifts contribute to your interior design by creating exciting contrasts between different colors and materials. We have created our own exclusive color collection, but you can also choose any other RAL color you like.

## Floor collection

The lift floor is delivered in dark grey, anti-slip PVC as standard, but we have a wide range of options in different styles. Choose one of our wood, stone or aluminium styles, or customize your own floor with laminate or tiles.

RAL 7012 BASALT GREY

RAL 6013 REED GREEN

RAL5024

ANODIC CHAMPAGNE

ANODIC GOLD

VINTAGE QUARTZ 1

ANODIC BRONZE

## Bright and open look

Vestner enclosed platform lifts include a ready-made lift shaft of steel panels. The shaft can also be delivered in clear or tinted safety glass. The shaft of our platform lifts can be glazed on all sides for a 360 degree panoramic view, which is quite unique.

A fully glazed lift shaft looks spectacular but also makes the most of the light. The lift shaft is complimented by doors with panoramic glazing.





Stone - Surestep - A design similar to stone



Safestep – For demanding environments

Standard black floor



Wood – Surestep – Emulates natural wood

Surestep collection

## Floor collection Tinted glass



Clear glass



Arctic snow



Light Fume Brown



Dark Fume Brown



Polar White



Light Fume Grey



Dark Fume Grey



## A smart lift concept

Vestner provide one of the smartest lift solutions in the world. Our lifts adapt to your home, not the other way around.

Lifts from Vestner are delivered with everything you need, doors and, for most models, even a ready-made lift shaft in steel or glass. To personalize your lift, you have a great choice of different door models, colors and finishes. The price of your lift will depend on the choice of configuration and lift options.



Shaft in steel or glass

## Alternatives for your comfort



Level indicator 4" display and voice announcement



Mirror glass Let the light in with glass, tinted or mirror



LED light Lights with long range and brightness



Shaft panels Choose between steel or glass



Call buttons Call buttons on the door or remote



Locking systems Limit the access to your lift



Door alternatives In steel, aluminium or fire rated



## Good value for money

Vestner lift solutions are prefabricated and so ingeniously constructed that hardly any structural adapation is necessary. This means that the lift installation is fast and easy.

The maintenance cost is affordable, compared to conventional lifts and we recommend that you sign a Vestner service and maintenance contract. That way you know that your lift is always in good condition so that you and your family can enjoy it for many years to come!



## We follow you step by step on the way to an installed lift



Help and support

We will follow you every step of the way from order to installation.

#### The 1-2-3 system:

Step 1: You will get personal advice for your specific situation.

Step 2: Fast delivery and installation by Vestner

Step 3: Service provided by Vestner



#### Quality installation

Vestner can visit the installation site in order to find the best lift solution for you. The lift is custom-made, so you can rest assured that it will fit.

You do not need to make any major structural alterations. Your lift can be installed in as little as 3-5 days and then you have a lift that you can enjoy for many years.



#### Service

Our screw-driven technology is simple and robust and our lifts are low-maintenance. Nevertheless, it is important to keep your lift in good order. Therefore, we always recommend that you sign a service contract with Vestner. Our lifts are equipped with battery emergency lowering, which allows you to lower and evacuate the lift, in case of a power failure.



Day 1 – Installation

First day – The bottom frame, guides and platform are installed. Your platform lift can be installed with or without a lift pit.



Day 2 – Installation

Second day – The doors, shaft and platform cladding are installed, all electrics are plug & play and easy to connect.



Day 3-5 – Installation


Third to Fifth day – The finishing touches are applied and all functions of the lift are tested. Your lift is now ready to use.

## Safety and quality

Installation and service are key to lift safety. This is why all Vestner Technicians are trained to install and maintain our lifts. The number of service visits per year depends on the frequency of use, but a lift from Vestner requires less maintenance than a conventional lift.

### Made in Sweden

Vestner lifts are produced by a world-leading manufacturer of screwdriven platform and cabin lift solutions for commercial and residential settings.







## Certified quality


Vestner lifts are CE marked and comply with the EU safety and and accessibility standards.





## Perfect lift solutions for your interior design





## hard FACTS

## Technical information – platform lifts

TECHNICAL INFORMATION	A4000, A5000
Lift location	Indoors / Outdoors*
Rated load kg	300 – 500 kg
Rated speed (m/sec)	Max 0.15
Travel height	Up to 13 m
Min.headroom at top landing	2250/1100 mm (A5000H: 2350 mm)
Pit depth without ramp	50 mm recess
Maximum number of stops	6 stops
Doors and gates	Single hinged
Door clear opening (standard, wxd)	900×2000 mm
Gate clear opening (standard, wxd)	900×1100 mm
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A**
Motor power	2.2 KW
Manufactured in	Sweden

- \*Outdoor available for A5000, platform sizes  $1000 \times 1467$  and  $1100 \times 1467$  mm.
- \*\*230 VAC 1-phase and 3-phase available as options.

DRAWINGS FOR DOWNLOAD













STANDARDS AND CERTIFICATES
Type Certificate

#### **ACCESS CONFIGURATION**



1. Single entry (2 stops)



2. Adjacent (3 stops)



3. Open-through (3 stops)

#### FLEXIBLE CONFIGURATION

Vestner Lift offers a great choice of platform sizes, door models, finishes and accessories so that you can adapt the lift configuration to your taste and requirements.

## Technical information – cabin lifts

TECHNICAL INFORMATION	A9000, A6000, A6000S
Lift location	Indoors
Rated load kg	400 or 630* kg
Rated speed (m/sec)	Max 0.15
Travel height	Up to 13 m
Min.headroom at top landing	2700 mm (A6000S: 2500 mm)
Pit depth without ramp	70 mm recess
Maximum number of stops	6 stops
Landing doors	Sliding doors/swing doors**
Landing door clear opening (wxd)	900×2000 mm
Cabin door	Sliding door / folding door**
Drive system	Screw and nut, with safety nut
Control system	Micro computer based system
Standard power supply	400 VAC 3-phase 50/60 Hz 16 A*
Motor power	2.2 KW
Manufactured in	Sweden

- \*A9000
- \*\*For A6000S
- \*\*\*230 VAC 3-phase available as an option

DRAWINGS FOR DOWNLOAD







STANDARDS AND CERTIFICATES
Type Certificate

#### **ACCESS CONFIGURATION**



1. Single entry (2 stops)



2. Open-through (3 stops)

#### FLEXIBLE CONFIGURATION

Vestner Lifts offer a great choice of platform sizes, door models, finishes and accessories so that you can adapt the lift configuration to your taste and requirements.



Vestner NZ Limited

Unit 3/6 O'Briens Rd Sockburn, Christchurch P +64 338 5188 E info@vestner.co.nz

1E Lady Ruby Dr East Tamaki, Auckland P +64 576 0545 E info@vestner.co.nz